

OFFICE

Recommendation for use		Toilets	Conference areas	Offices and administration	Rooms with greater fire load densities (warehouse, EDV)
Fire prevention doors	T30(EI30)				●
Smoke protection doors	RS(S200)				●
seal tight/self closing doors	Sa(C5) ¹		○	○	
Soundproof doors	Class SK27/1			●	
	Class SK32/2			●	
	Class SK37/3		●	●	
	Class SK40/3,5				
	Class SK42/4				
Damp room doors		●			
Wet room doors		○			

Westag doors

Fire prevention	T30(EI30)				●
Smoke protection	RS(S200)				●
seal tight/self closing	Sa(C5) ¹		○	○	
Soundproofing	Class SK27/1			●	
	Class SK32/2			●	
	Class SK37/3		●	●	
	Class SK40/3,5		○	○	
	Class SK42/4				
Damp room	Tubular core	○			
	Solid core	●			
Wet room	Tubular core				
	Solid core				
	without wood				

Westag door frames

Wooden wrap-around frame		●	●	●	●
Damp room frame					
Steel frame	galvanised/protective primed	●	●	●	●
	High-grade steel V2A	○	○	○	○
	High-grade steel V4A				
Block frame			●	●	●

Westag surfaces

Homapal		○	○	○	○
FENIX NTM		●	●	●	●
FENIX NTA		○	○	○	○
Getalit (HPL)		●	●	●	●
Portalit (CPL) ²				○	

Requirements for barrier-free use may need to be considered.